



Version B; Date: 04/2017 Last revised: 04/2017



U1-RNP (RNP/68kD/A/C) IgG

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name: BlueDiver Combi U1-RNP (RNP/68kD/A/C) IgG

Product Code: U1RNP-24

1.2. Relevant identified uses of the substance or mixture and uses advised against

Part of an immunodot kit (professional IVD use only, automated on the BlueDiver Instrument) for the detection of IgG antibodies to the U1-RNP (RNP/68kD/A/C) antigen in human serum.

1.3. Details of the supplier of the safety data sheet

D-TEK s.a

Parc Initialis, rue René Descartes 19

BE-7000 Mons Belgium
Tel.: +32 65 841 888
Fax: +32 65 842 663
Internet: www.d-tek.be
email: info@d-tek.be

1.4. Emergency telephone number

D-tek s.a. (only office hours): +32 65 841 888 Centre Anti-Poisons (BE) 070 245 245 Please refer to your local Anti-Poison Centre!

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to Regulation (EC) N° 1272/2008 the preparation is not classified as dangerous.

2.2 Label elements

According to Regulation (EC) N° 1272/2008: none; according to concentration and/or conditioning: none.

2.3 Other hazards

The products / product components contain preservatives which may possess in their given concentration, skinsensitizing and slightly polluting properties. As any chemicals contain specific hazards, the products / product components should only be handled by appropriately trained personnel and with the necessary precautions for chemicals

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Dispenser	Containing 24 chips (breakable individually, in a plastic dispenser)		
Cellulose Nitrate	Each chip contains 3 lines of microdots: 1st line: Positive Control (C+) 2nd line: Antigen 3rd line: Negative Control (C-)	Membrane (cellulose-nitrate) coated with purified antigens: U1-RNP (RNP/68kD/A/C) (recombinant, human)	

3.2 Mixtures

N/A

Hazardous Substances and their concentrations

The Hazard Classification listed in this section refers to the chemical at **a pure concentration**. It has been determined that the remaining ingredient(s) of these components are <u>not</u> classified as hazardous chemicals due to their physical and/or chemical nature and/or concentration in solution (see concentration here in the table) and/or their conditioning.





MSDS U1RNP-24, p. 2 of 5 Version B; Date: 04/2017 Last revised: 04/2017

Abbreviations and significances:
CAS: Chemical Abstract Service (division of the American Chemical Society)
EINECS: European Inventory of Existing Commercial Chemical Substances

Information on significance H Phrases: see Section16

Name	CAS	EINECS	Concentration in strip	Classification according to Regulation EC 1272/2008 Significance H Phrases
Cellulose Nitrate	9004-70-0	-	< 5 %	Flam. Sol. 1 H228

Annex VI to Regulation (EC) No 1272/2008: Index N°: 603-037-00-6; Commission Regulation (EU) 2015/830; 3.2.1

SECTION 4. FIRST AID MEASURES

	SYMPTOMS	FIRST AID
Contact with eyes:	N/A	-
Contact with skin:	N/A	-
Ingestion:	It is recommended to avoid ingestion and contact with food	If swallowed, wash out mouth with water provided the person is conscious; seek medical advice (showing this document when possible). Never give anything by mouth to an unconscious person; never try to make an unconscious person vomit.

SECTION 5. FIRE-FIGHTING MEASURES

Flammability:	Liquid reagents contained in the kit are not flammable. Cellulose Nitrate in pure form is highly flammable, but due to the small quantity (< 5% of chip) and the conditioning of it in a dispenser, it is not considered as a risk. Combustion of cardboard inserts inside the kit and the outer cardboard box of the kit may produce intense heat.
Extinguishing Media:	Water (for cellulose nitrate chips); water, carbon dioxide, dry chemical powder or polymer
	foam (for dispenser).
	Use extinguishing media appropriate to surrounding fire conditions.
Special Fire Fighting	For fires involving this material, do not enter any enclosed or confined fire space without
Procedures:	proper protective equipment. This may include self-contained breathing apparatus to
	protect against the hazardous effects of the normal products of combustion or oxygen
	deficiency.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions 6.1

Always observe GLP (Good Laboratory Practice) safety lines. To avoid contact with skin and eyes wear appropriate protective clothing. Do not swallow, do not pipette by mouth.

6.2 **Environmental Precautions**

Avoid flushing away in drains; keep away from surface- and ground-water; keep away from soil.

6.3 Methods and material for containment and cleaning up

Sweep up and collect in appropriate containers for waste disposal; clean the floor and all other contaminated objects with water.

6.4 Reference to other sections

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling 7.1

Always observe GLP (Good Laboratory Practice) safety lines. Wear appropriate protective clothing (refer to point 8.2). Wash hands and any other exposed zones with water and mild soap before eating, drinking, smoking and leaving workplace. Check the local and general ventilation of the workplace. Take any measures to prevent aerosol and dust generation and fire. Dispose of the waste according to safety measures of GLP.

7.2 Conditions for safe storage, including any incompatibilities

Always store the product according to instructions given on the label. Always observe given temperature and humidity limit/range.

7.3 Specific end use(s)

N/A





MSDS U1RNP-24, p. 3 of 5 Version B; Date: 04/2017 Last revised: 04/2017

Dtek

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Name	Comment
Cellulose Nitrate	Contains no substances with occupational exposure limit values nor with short term exposure limit

8.2 Exposure controls

Respiratory protection: None	
Gloves: Laboratory nitrile or latex gloves	
Eye protection:	Goggles
Skin protection Laboratory coat	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Criterion	Reagent
	DISP
Appearance:	Solid (fibrous sheet); colour: white to yellow
Odour:	None
Odour threshold:	N/A
pH value:	Not given
Melting point/freezing point:	Decomposes
Initial boiling point and boiling range:	Not given
Flash point:	N/A
Evaporation rate:	N/A
Flammability:	Yes, if exposed to: flames, sparks, shocks, static discharge, acids
Upper/lower flammability or explosive limits:	Not explosive
Vapour pressure:	Not given
Vapour density:	Not given
Relative density:	Not given
Solubility:	Insoluble in water
Partition coefficient n-octanol/water:	Not given
Auto-ignition temperature:	185°C
Decomposition temperature:	Not given
Viscosity:	Not given
Explosive properties:	Not explosive
Oxidizing properties:	Not given

9.2 Other information

N/A

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Particular dangerous reactions not known

10.2 Chemical stability

Materials to avoid: oxidizing agents, amines, strong acids and strong bases.

Chemical stability: If storage conditions and expiry date are correctly observed, the mixture / product components are chemically stable.

10.3 Possibility of hazardous reactions

Particular hazardous reactions not known.

10.4 Conditions to avoid

Avoid inappropriate storage (temperature, humidity, light, etc). Avoid inappropriate use.





MSDS U1RNP-24, p. 4 of 5 Version B; Date: 04/2017 Last revised: 04/2017

W Otek

10.5 Incompatible materials

Oxidizing materials may adversely affect the functionality of cellulose nitrate.

10.6 Hazardous decomposition products

Under appropriate storage conditions and correct handling of the mixtures / product components, hazardous decomposition products are not known.

Combustion of cardboard inserts inside the kit and of the outer cardboard box of the kit does <u>not</u> liberate toxic gas (only carbon dioxide and water vapour).

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

a. Acute toxicity

Ingredient	Measured quantity	Value	Species	
Cellulose Nitrate	LD ₅₀ (oral)	3200 mg/kg	Rat	

LD₅₀ test: Lethal dose for 50% of the population of test animals

b. Skin corrosion/irritation

No skin corrosion or irritation known

c. Serious eye damage/irritation

No eye damage or irritation known

d. Respiratory or skin sensitisation

No respiratory or skin sensitisation known

e. Germ cell mutagenicity

No data available

f. Carcinogenicity

No data available

g. Reproductive toxicity

No data available

h. STOT-single exposure

No data available

i. STOT-repeated exposure

No data available

j. Aspiration hazard

No data available

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Ingredient	Toxicity for algae	Toxicity daphnia	for	Toxicity for fish	Toxicity for microorganisms
Cellulose Nitrate	Acute EC ₅₀ : 579000 µg/l Fresh water (exposure 96 hours)	-		-	-

EC₅₀ static test: (Effective Concentration 50) Concentration of test substance in dilution water that is calculated to effect 50 percent of a test population during continuous exposure over a specified period of time.

12.2 Persistence and degradability

Ingredient	Measured quantity	Value	Comment
Cellulose Nitrate	No data available	-	-

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPVB assessment

This reagent contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Ingredient	Effect in pure form
Cellulose Nitrate	none





MSDS U1RNP-24, p. 5 of 5 Version B; Date: 04/2017 Last revised: 04/2017

W Otek

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Used chips may retain product residues: always handle as if they were contaminated. Humidify cellulose nitrate before disposal.

Chemical waste cannot be disposed of with household garbage: please contact a licensed professional waste disposal service to dispose of this material.

The waste generated by chemical preparations has generally to be regarded as special waste material, and is in most countries regulated by federal or state government laws and ordinances. Please contact the authority in the matter.

Disposal of the packaging

Disposal always according to official regulations: please contact the authority in the matter

SECTION 14. TRANSPORT INFORMATION

14.1 to 14.7: N/A: The products are not subject to transport regulations.

SECTION 15. REGULATORY INFORMATION

- **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture The user has to observe the applicable regulations.
 - Commission Regulation (EU) N° 2015/830 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)
 - Regulation (EC) N° 1907/2006 of the European Parliament and of the Council concerning the
 Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European
 Chemicals Agency, amending Directive 1999/45/EC (classification, packaging and labelling of dangerous
 preparations) and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No
 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,
 93/105/EC and 2000/21/EC.
 - Regulation (EC) N° 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
 - Commission Regulation (EU) N° 453/2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

15.2 Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16. OTHER INFORMATION

The present MSDS has been compiled according to the ANNEX II of the Commission Regulation (EU) 2015/830 of 28 May 2015.

ANNEX II of Commission Regulation (EU) 2015/830 replaces

- Annex II (1) of Regulation (EC) No 1907/2006
- Article 59(5) of Regulation (EC) No 1272/2008 of the European Parliament and of the Council (which amends (1))
- Commission Regulation (EU) No 453/2010 (which amends (1))

Full text of hazard phrases mentioned in this document:

Hazard phrases

ode	Phrase	
H228	Flammable solid	